




ANTENAS
ANTENNES
ANTENNAS



FLASHD COMPACT

Ref. 1803

ANTENA DE RECEPCIÓN TV UHF COMPACTA
ANTENNE DE RÉCEPTION TV UHF COMPACT
COMPACT UHF TV RECEIVING ANTENNA



Accesorios suministrados
Accessoires fournis
Accessories supplied



Conector F roscable
Connecteur F à visser
Screw-on F plug



Capuchón protector
Capuchon protecteur
Protection cap



8 435136 418030

1803 HDT513



r1803lq01

Q1

MADE IN SPAIN

1. Preparación de la antena / Préparation de l'antenne / Preparing the antenna

1) Colocación del reflector / Installation du réflecteur / Installing the reflector





fig. 3





fig. 4

tornillos para el ajuste del ángulo de inclinación
screws for réglage tilt angle
vis de réglage l'angle d'inclinaison



2) Colocación del dipolo / Installation du dipôle / Installing the dipole




fig. 1




fig. 2




fig. 3





fig. 4

2. Polarización vertical / *Polarisation verticale* / Vertical polarization



aflojar
desserrer
loosen

fig. 1




fig. 2











fig. 3

3. Fijación al mástil / *Fixation au mât* / Clamping to the mast



4. Conexión del cable coaxial / Raccordement du câble coaxial / Connecting the coaxial cable




par de apriete máx : 10kg.cm
serrer sans excéder : 10kg.cm
torque max : 10kg.cm

ESPECIFICACIONES TÉCNICAS SPÉCIFICATIONS TECHNIQUES TECHNICAL SPECIFICATIONS

Modelo/ <i>Modèle</i> / Model		FLASHD COMPACT (HDT513)
Ref.		1803
Canales / <i>Canaux</i> / Channels		21-69 (470-862 MHz)
Ganancia nominal / <i>Gain nominal</i> / Nominal Gain	dB	13
Relación D/A / <i>Rapport AV/AR</i> / Front-to-Back ratio	dB	≥ 16
Ángulo de abertura / <i>Angle d'ouverture</i> / Beamwidth		H : 60° V : 80°
Carga del viento / <i>Charge au vent</i> / Windload	N	130 km/h : 18 150 km/h : 23
Conector / <i>Connecteur</i> / Connection		F
Dimensiones / <i>Dimensions</i> / Dimensions	cm	53 x 80 x 20
Peso / <i>Poids</i> / Packed (1u.)	kg	0,800

GRÁFICA DE GANANCIA DIAGRAMME DE GAIN GAIN GRAPH



IKUSI - Ángel Iglesias S.A.

Pº Miramón, 170 · 20014 San Sebastián · SPAIN · Tel.: +34 943 44 88 00

Fax: +34 943 44 88 20 · television@ikusi.com · www.ikusi.tv

